SUPPLIER SELECTION IN MANUFACTURING INDUSTRY USING TOPSIS METHOD

Brajesh Sharma¹

Mechanical Engineering Dept.

Madhav Institute of Technology and Science
Gwalior, India
Email- brajeshsanta@gmail.com

Dr. Pratesh jayaswal²

Mechanical Engineering Dept.

Madhav Institute of Technology and Science
Gwalior, India

Abstract — This paper present study of developed for selection of supplier by using **TOPSIS** Method. For supplier selection different important criteria are taking into account. These criteria have different weightage by different expert. On this basis of this weightage provide the rank of every supplier with the help of TOPSIS Method. A supply chain consists of all parties involved directly or indirectly in fulfilling a customer demand. The supply chain department deals with the supplier and their supplies. The aim of this paper is developing a methodology for suppliers in supply chain cycle in a manufacturing industry.

Keywords— Supply Chain, Weightage Criteria, Manufacturing industry, TOPSIS Method.

I. INTRODUCTION

chain includes not only the The supply manufacture and supplier but also transporter, retailer warehouses. and even customers themselves. Supply chain management encompasses both physical distribution and supply management. Increases and varieties of customer demands. advances of recent technologies in communication and information systems, competition in global environment, decreases in governmental regulations, and increases in environmental consciousness have forced companies to focus on supply chain management . "The supply chain management" term has been used for almost 22 years and is

defined as the integration of activities to procure materials, transforms them into intermediate goods and final products, and delivers to customers [1]. In supply chains, coordination between a manufacturer and suppliers is typically a difficult and important link in the channel of distribution.

Supply chain management and its demands on the firms in the value chain have led to the operational integration of suppliers within the supply chain [2]. Selecting an appropriate supplier (or vendor) among different suppliers is a critical issue for top management. In industries that are concerned with large scale production the raw materials and components parts van equal up to 70% product cost in such circumstances the purchasing department can play a key role in cost reduction, and supplier selection is one of the most important functions of purchasing management [3]. Therefore, using an appropriate method for this purpose is a critical issue; supplier selection has been shown to be multiple criteria decision making (MCDM) problem [4]. The technique for order preference by similarity to Ideal Solution (TOPSIS) was first developed by Yoon and Hwang In supply chains: Co-ordination between a manufacturer and suppliers is typically a difficult and important link in the channel of distribution. Once a supplier becomes part of a well-managed and established supply chain, this relationship will have a lasting effect on the competitiveness of the entire supply chain. Because of this, supplier problem has become one of the most important issues for establishing an effective supply chain system.


Besides, selection of suppliers is a complicated process by the facts that numerous criteria must be considered in the decision making process [5].

II. PROPOSED METHOLOGY

This methodology for supplier selection using Topsis Method consists of Three Step:-

- 1. Identify the criteria to be used in the model;
- 2. By using expert views weighing the criteria;
- 3. Evaluation of alternatives with TOPSIS and determination of the final mark.

In the first step, with the help of going over expert we try to recognize variables and effective criteria in supplier selection and the criteria which will be used their revaluation is extracted then the list of appropriate suppliers are find and. In the last stage of the first step, the decision criteria and approved by decision making team. After the approval of decision criteria, we assigned weigh on them. In the last stage of this step, calculated weight of the criteria are approved by decision making team. Finally in the third step, ranks are determined using Topsis Method.



Schematic diagram of the proposed model for weapon selection is provided in figure 1.

III. TOPSIS PROCESS

TOPSIS process was introduced for the first time surveyors and different operators [6]. As large number of potential available vendors in the current marketing environment, a full ANP decision process becomes impractical in some cases. To avoid an unreasonably large number of pair-wise comparisons, we choose TOPSIS as the ranking technique because of its concept's case of use. Also, ANP is adopted simply for the acquisition of the weights of criteria. First, a

general TOPSIS process with six activities is listed below.

1) **ACTIVITY-** Establish a decision matrix for the ranking. The structure of the matrix can be expressed as follows:

$$A = \begin{cases} P_{11} & P_{12} & \cdots & P_n \\ \cdots & \cdots & \cdots \\ P_{m1} & P_{m2} & \cdots & P_{mn} \end{cases}$$

Where Ai denotes the alternatives i, i = 1...., m; Bj represents jth attribute or criterion, j = 1...., n, related to ith alternative; Pij is a crisp value indicating the performance rating of each alternative Ai with respect to each criterion Bj.

2) ACTIVITY- Calculate the normalized decision matrix Q= [Sij]. The normalized value Sij is calculated as;

Sij = -Pij /
$$\sqrt{\Sigma j^n}$$
= 1 Pij²

$$i = 1n; j = 1m$$
 (2)

3) ACTIVITY- Calculate the weighted normalized decision matrix by multiplying the normalized decision matrix by its associated weights. The weighted normalized value Vij is calculated as:

$$Vij = Wij.Sij, j=1....n; i= 1....m; (3)$$

Where wj represents the weight of the jth attribute or criterion.

4) **ACTIVITY-** Determine the PIS and NIS, respectively:

Where J is associated with the position criteria and J' is associated with the negative criteria.

5) **ACTIVITY-** Calculate the separation measures using the m-dimensional Euclidean distance. The separation measure Ei+ of each alternative from the PIS is given as:

Ei+ =
$$\sqrt{\sum_{i} i^n} = 1 (V_{ij} - V_{j+})^2$$
, i = 1......m (4)

Similarly the separation measure Ei- of each alternative from the NIS is as follows:

Ei- =
$$\sqrt{\Sigma_{in}} = 1 \text{ (Vij - Vj-)}^2$$
, i = 1.....m (5)

6) **ACTIVITY-** Calculate the relative closeness to the idea solution and rank the alternatives in descending order. The relative closeness of the alternative Ai with respect to PIS V+ can be expressed as:

$$Hi^* = Ei - / Ei + Ei$$

Where the index value of Hi* lies between 0 and 1. The larger the index value, the better the performance of the alternatives.

IV. NUMERICAL PROBLEM

To apply this Topsis Method we have solved simulated numerical example. Based on proposed methodology, 3 Steps are applied for assessment and supplier selection. In this example we assume 6 criteria and 10 suppliers.

After decision making team, step 1 starts developing an updated pool of supplier selection criteria for the industry, using those accepted criteria recommended by the experts. In this numerical example, the criteria are selected as shown in Table 1. Although, the criteria considered in supplier evaluation are conditionindustry specific. Selection of criteria is totally industry specific and based on each case and the criteria are changed and replaced. Opinions of decisions makers on criteria were aggregated and weights of all criteria have been calculated by organizing the expert meeting. Its results have assuming 10 suppliers are included in the evaluation process, information of each of suppliers are included in the evaluation process, information of each of suppliers has been Table 2. After normalizing mentioned in information and considering weight of criteria in them, negative and positive separation measures. based on normalized Euclidean distance for each supplier is calculated and then final weight of each supplier is calculated [3].

Table 1.Selecting Criteria for Supplier Evaluation and weight of Criteria

Code	Criteria	Weight(%)
C_1	Minimum Quantity	0.3
C_2	Maximum Quantity	0.2
C_3	Defective Item	0.1
C_4	Late Delivery	0.1
C_5	Product Price	0.14
C_6	Order Quantity	0.16

Step-1 Developing Decision Matrix;

Table-2 Supplier's Information

Criteria	1	2	3	4	5	6	7
Supplier							
C_1	550	600	450	650	100	850	350
C_2	950	1200	910	1400	450	1200	1100
C ₃	60	50	40	80	20	35	40
C_4	75	50	70	90	30	70	90
C ₅	60	70	50	85	60	90	88
C ₆	700	810	600	1000	255	900	750

Step-2Calculating the Normalized Decision Matrix; Sij= Pij / $\sqrt{\Sigma}$ (P2ij)

Table-3

С	C_1	C_2	C ₃	C_4	C_5	C_6
S						
1	.359	.316	.412	.352	.263	.329
2	.391	.400	.344	.234	.307	.381
3	.293	.303	.275	.328	.219	.282
4	.424	.466	.550	.422	.373	.471
5	.065	.150	.137	.140	.263	.120
6	.555	.400	.240	.328	.394	.424
7	.228	.366	.275	.422	.386	.353
8	.163	.200	.344	.328	.373	.193
9	.084	.100	.137	.131	.103	.108
10	.228	.250	.206	.319	.351	.273

Step-3 Calculating the weighed normalized decision matrix;

Vij= Wij .Sij

Table -4

	C_1	C_2	C ₃	C ₄	C ₅	C ₆
1	0.107	0.063	0.041	.035	.036	.052
2	.117	.080	.034	.023	.042	.060
3	.087	.060	.027	.032	.030	.045
4	.127	.092	.055	.042	.052	.075
5	.019	.030	.013	.014	.036	.019
6	.166	.080	.024	.032	.055	.067
7	.068	.073	.027	.042	.054	.056
8	.048	.040	.034	.032	.052	.030
9	.025	.020	.013	.013	.015	.017
10	.068	.050	.020	.031	.049	.043

Step-4 Determine the PIS and NIS

V + = [0.166, 0.093, 0.055, 0.042, 0.055, 0.075]

V-= [0.019, 0.020, 0.013, 0.013, 0.015, and 0.017]

Step-5 Calculating separation Measure Ei+

Table-5

Supplier	$E + = [\Sigma(Vj + -Vij)2]1/2$		
1	.074		
2	.061		
3	.098		
4	.039		
5	.177		
6	.035		
7	.105		
8	.138		
9	.181		
10	.117		

Calculating separation measure Ei-

Table-6

Supplier	$E- = [\Sigma(Vj-Vij)2]1/2$
1	.0111
2	.0127
3	.088
4	.0155
5	.023
6	.172
7	.096
8	.059
9	.006
10	.074

Step-6 Separation measures and the relative closeness coef-ficient;

Table-7

	Table 7	
Supplier	Closeness Coefficient Hi* = E- /(E- + E+)	Rank
1	0.600	4
2	0.675	3
3	0.473	6
4	0.798	2
5	0.115	9
6	0.830	1
7	0.477	5
8	0.299	8
9	0.032	10
10	0.0387	7

Thereafter, the relative closeness coefficients are deter-mined, and ten suppliers are ranked. Obtained results have been mentioned in Table-7. Thus, supplier 6 has the best score amongst 10 suppliers

CONCLUSION

For an automobile industry it is necessary to maintain the good coordination between management and supplier in terms of material quality, quantity, cost, and time By above mathematical treatment it is clear that the supplier selection for an automobile industry involves multiple criteria which show the important role in selection of suppliers. Technique for Order Preference by Similarity to Ideal Solution is a simple and understandable method for selecting a suitable supplier. Using this method we select the different alternatives according to the importance of different criteria. Thus, TOPSIS method used for different multicriteria decision problems in a suitable manner.

References

- [1] C. Elanchezian B, Vijaya Ramnath, Dr. R. Kesavan, Vendor Evaluation Using Multi Criteria Decision making, International Journal of Computer Applications (0975 0887) Volume 5- No.9, August 2010. B. C. Kuo, Automatic control system, 7th ed., Prentice-Hall of India PVT, 2003.
- [2] Ronnie Fanguy, Khurrum Bhutta, Supplier DSelection with the Upstart Algorithm.
- [3] William Ho, Xiaowei Xu, Prasnata K. Dey. Multi Criteria decision making approaches for supplier evaluation and selection, European Journal of Operational Research (2010), Volume:202, Issue: 1, Publisher: Elsevier, Pages: 16-24.
- [4] Zarandi, M. H., Turksen, I. B. & Saghari, S., (2002), "supply chain: Crisp and Fuzzy aspects", *Int. I. APPI. Moth. Computer. Science*, Vol. 12, No. 3, pp: 430-435.
- [5] Zadeh, L.A., (1965), "Fuzzy sets and systems" *In: systems theory, Polytechnic press, Brooklyn*, N.Y, pp. 29-37.
- Wynstra, F. & Pierick, E. T., (2000), "Managing supplier involvement in new product development: A portfolio approach", European Journal of Purchasing & Supply Management, Vol. 6, issue. 1, pp: 49-57.
- Weber, Ch. A., Current, J. & Desai, A., (2000), "An optimization Approach to Determining the Number of Vendors to Employ". International Journal of supply chain management, Vol. 5, No. 2, pp: 90-98.
- [8] Vokurka, R. J., Choobineh, J. & Vadi, L., (1996), "A Prototype Expert system for the Evaluation and selection of Potential Suppliers", International Journal of operations & production Management, Vol. 16, No. 12, pp: 106-127.
- [9] Tracey, M. & Tan, L., (2001), "Empirical Analysis of supplier selection and Involvement, Customer satisfaction and Firm Performance", supply chain management: An International Journal, Vol. 6, No. 4 PP: 174-188.
- [10] Gargeya V. B. & su J., (2004), "Strategic sourcing and Supplier selection: A Review of survey- based empirical research", Second world conference on POM and 15th Annual POM conference, Cancun, Mexico.